

Printing Date: 18.10.2022 Version Number: 2.0 (replaces version 1.0) Revision Date: 18.10.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier:

Trade name: Multiflow 600 (0-4mm) (Deys-NL)

UFI: 57A0-D0XU-900E-JMRG

#### 1.2 Relevant identified uses of the substance or mixture, and uses advised against:

Relevant identified uses of the substance or mixture: Grouting Materials Identified uses advised against: No further relevant information available.

## 1.3 Details of the supplier of the safety data sheet:

#### Manufacturer/supplier:

Deys Betontechniek Nederland BV

Gelreweg 5

NL - 3843 AN Harderwijk

Tel.: +31 / (0)341 / 41 51 48 (24 uur per dag)

info@deys.nl

**1.4 Emergency telephone number:** +31 (0) 30 / 274 88 88

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture:

Depending on the type of handling and use, airborne respirable crystalline silica may be generated. Prolonged and/or massive inhalation of respirable silica dust may cause silicosis. Occupational exposure to respirable crystalline silica should be monitored and controlled.

This product should be handled with care to avoid dust generation.

#### Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

#### 2.2 Label elements:

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

#### Hazard pictograms





GHS05 GHS07

Signal word Danger

#### Hazard-determining components of labelling:

Portland cement

#### Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

(Contd. on page 2)

Printing Date: 18.10.2022 Version Number: 2.0 (replaces version 1.0) Revision Date: 18.10.2022

Trade name: Multiflow 600 (0-4mm) (Devs-NL)

(Contd. of page 1)

Additional information: Avoid breathing dust.

#### 2.3 Other hazards:

Results of PBT and vPvB assessment:

**PBT:** Not applicable. **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### **Description:**

Mixture of substances listed below with non-hazardous additions.

For further information, please refer to the product technical data sheet.

Dangerous components:			
CAS: 14808-60-7 EINECS: 238-878-4 Reg.nr.: 01-2120770509-45-XXXX		substance with a Community workplace exposure limit	50-<100%
CAS: 65997-15-1 EINECS: 266-043-4	Portland cement	Eye Dam. 1, H318 Skin Irrit. 2, H315; STOT SE 3, H335	25-<30%

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures:

General information: Get medical advice/attention if you feel unwell.

After inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

After skin contact:

Take off immediately all contaminated clothing, and wash immediately with plenty of soap and water.

IF exposed or concerned: Get medical advice/attention.

#### After eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

#### After swallowing:

Rinse mouth.

Do NOT induce vomiting.

- 4.2 Most important symptoms and effects, both acute and delayed: Risk of serious damage to eyes.
- 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media:

Suitable extinguishing agents: CO2, powder.

5.2 Special hazards arising from the substance or mixture: No further relevant information available.

#### **5.3** Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device.

(Contd. on page 3)

Printing Date: 18.10.2022 Version Number: 2.0 (replaces version 1.0) Revision Date: 18.10.2022

Trade name: Multiflow 600 (0-4mm) (Deys-NL)

(Contd. of page 2)

Additional information: Collect contaminated fire fighting water separately. It must not enter the sewage system.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

**6.2 Environmental precautions:** Inform respective authorities in case of seepage into water course or sewage system.

## 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling:

Do not eat, drink or smoke when using this product.

Store in a well-ventilated place. Keep container tightly closed.

Keep only in original packaging.

Use only outdoors or in a well-ventilated area.

Information about fire - and explosion protection: No special measures required.

#### 7.2 Conditions for safe storage, including any incompatibilities:

#### **STORAGE**

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions:

Store in a dry place.

Keep cool.

**7.3 Specific end use(s):** No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

#### **8.1 Control parameters:**

Ingredients with limit values that require monitoring at the workplace:

14808-60-7 Quartz (SiO2)

WEL Long-term value: 0.1 mg/m<sup>3</sup>

## 65997-15-1 Portland cement

WEL Long-term value: 10\* 4\*\* mg/m³ \*inhalable dust \*\*respirable dust

#### DNELs

#### 65997-15-1 Portland cement

Inhalative DNEL long term local eff 10 mg/m³ (workers)

Additional information: Based on the lists valid at the date of SDS creation.

#### **8.2 Exposure controls:**

Appropriate engineering controls No further data; see item 7.

(Contd. on page 4)

**Printing Date: 18.10.2022** Version Number: 2.0 (replaces version 1.0) **Revision Date: 18.10.2022** 

Trade name: Multiflow 600 (0-4mm) (Devs-NL)

(Contd. of page 3)

#### Individual protection measures, such as personal protective equipment

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

#### **Respiratory protection:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

In case of prolonged exposure to airborne dust concentrations, wear a respiratory protective equipment that complies with the requirements of European and national legislation.

#### Hand protection

Protective gloves.

EN 374.

#### Material of gloves:

Nitrile rubber.

PVC gloves.

#### **Penetration time of glove material:**

The exact breakthrough time has to be determined by the manufacturer of the protective gloves and has to be observed.

#### Eye/face protection



Safety glasses with side shield protection.

EN 166.

#### **Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties:

**GENERAL INFORMATION** 

Physical state

Colour: According to product specification.

**Odour:** Characteristic. **Odour threshold:** Not determined. Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling range Not determined. Flammability Not determined.

Flammability Limits:

Lower and upper explosion limit

Lower: Not determined. Upper: Not determined. Not applicable. Flash point:

Method:

**Ignition temperature:** Not determined. Not determined. **Decomposition temperature:** 

pH at 20 °C

VISCOSITY Not applicable. Kinematic viscosity

Not applicable. **Dynamic:** 

(Contd. on page 5)

Printing Date: 18.10.2022 Version Number: 2.0 (replaces version 1.0) Revision Date: 18.10.2022

Trade name: Multiflow 600 (0-4mm) (Deys-NL)

**Solubility** Water: Insoluble. Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: Not applicable. Density and/or relative density Density at 20 °C: 1.3 g/cm<sup>3</sup> Not determined. Vapour density: **Particle characteristics** See item 3. 9.2 Other information: Appearance: Solid. Form: Important information on protection of health and environment, and on safety: **Auto-ignition temperature:** Not determined. Product does not present an explosion hazard. **Explosive properties:** Not determined. Molecular weight Information with regard to physical hazard classes Not applicable. **Explosives** Not classified. Flammable gases Not classified. Aerosols Not classified. Oxidising gases Gases under pressure Not classified. Flammable liquids Not classified. Flammable solids Not classified. Self-reactive substances and mixtures Not classified. **Pyrophoric liquids** Not classified. **Pyrophoric solids** Not classified. Not classified. Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in Not classified. contact with water **Oxidising liquids** Not classified. Oxidising solids Not classified. Not classified. Organic peroxides

Not classified.

Not classified.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity:

Corrosive to metals

**Desensitised explosives** 

Stable under normal conditions.

No further relevant information available.

### 10.2 Chemical stability:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

### 10.3 Possibility of hazardous reactions

No dangerous reactions known.

No further relevant information available.

**10.4 Conditions to avoid:** No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

ACUTE TOXICITY Based on available data, the classification criteria are not met.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye damage.

(Contd. on page 6)

**Printing Date: 18.10.2022** Version Number: 2.0 (replaces version 1.0) **Revision Date: 18.10.2022** 

Trade name: Multiflow 600 (0-4mm) (Devs-NL)

(Contd. of page 5)

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

**STOT-single exposure** May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

None of the ingredients is listed.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity:

AQUATIC TOXICITY No further relevant information available.

- **12.2 Persistence and degradability:** No further relevant information available.
- **12.3 Bioaccumulative potential:** No further relevant information available.
- **12.4 Mobility in soil:** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment:

PBT: Not applicable. vPvB: Not applicable.

## 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

#### 12.7 Other adverse effects:

## ADDITIONAL ECOLOGICAL INFORMATION

General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods:

## **Recommendation:**



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Dust formation from residues in packaging should be avoided and suitable worker protection assured. Store used packaging in enclosed receptacles.

## European waste catalogue:

	· · I · · · ·	
17		CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
17	01 00	concrete, bricks, tiles and ceramics
1 /	01 00	concrete, tricks, thes and ceranics

17 01 01 | concrete

#### UNCLEANED PACKAGING

**Recommendation:** Disposal must be made according to official regulations.

Printing Date: 18.10.2022 Version Number: 2.0 (replaces version 1.0) Revision Date: 18.10.2022

Trade name: Multiflow 600 (0-4mm) (Devs-NL)

(Contd. of page 6)

SECTION 14: Transport information		
14.1 UN number or ID number ADR, IMDG, IATA	Not Regulated	
14.2 UN proper shipping name ADR, IMDG, IATA	Not Regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Not Regulated	
14.4 Packing group ADR, IMDG, IATA	Not Regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user:	Not applicable.	
14.7 Maritime transport in bulk accord IMO instruments	ling to Not Regulated	
UN "Model Regulation":	Not Regulated	

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

See Section 2 for hazard identification.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

## Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## Relevant phrases:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Date of previous version: 18.10.2022

Version number of previous version: 1.0

(Contd. on page 8)

Printing Date: 18.10.2022 Version Number: 2.0 (replaces version 1.0) Revision Date: 18.10.2022

Trade name: Multiflow 600 (0-4mm) (Deys-NL)

The first date of preparation: 18.10.2022

Number of revision times and the latest revision date:  $2.0 \, / \, 18.10.2022$ 

(Contd. of page 7)