

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Betochem 3200 B-comp  
Product code : Onbekend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial  
For professional use only

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Deys Betontechniek Nederland  
Gelreweg 5  
P.O. Box 330, 3840AH  
3843AN Harderwijk  
T +31 (0)341415148 - F +31 (0)341425490  
[info@deys.nl](mailto:info@deys.nl) - <http://www.deys.nl/>

#### 1.4. Emergency telephone number

Emergency number : +31 (0)302748888

| Country        | Organisation/Company   | Address                         | Emergency number | Comment |
|----------------|--|---------------------------------|------------------|---------|
| United Kingdom | Guy's & St Thomas' Poisons Unit<br>Medical Toxicology Unit, Guy's & St<br>Thomas' Hospital Trust | Avonley Road<br>SE14 5ER London | +44 20 7188 7188 |         |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302  
Acute toxicity (inhalation:dust,mist) Category 4 H332  
Skin corrosion/irritation, Category 1, Sub-Category 1A H314  
Skin sensitisation, Category 1 H317  
Specific target organ toxicity – Single exposure, Category 3, H335  
Respiratory tract irritation  
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411  
Full text of H-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



# Betochem 3200 B-comp

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                                | GHS05   | GHS07 | GHS09 |
|--------------------------------|---|-------|-------|
| Signal word (CLP)              | : Danger  |       |       |
| Contains                       | : 2,2,4-trimethylhexaan-1,6-diamine; 4-tert-butylphenol; m-fenyleenbis(methylamine)   |       |       |
| Hazard statements (CLP)        | : H302+H332 - Harmful if swallowed or if inhaled.<br>H314 - Causes severe skin burns and eye damage.<br>H317 - May cause an allergic skin reaction.<br>H335 - May cause respiratory irritation.<br>H411 - Toxic to aquatic life with long lasting effects.  |       |       |
| Precautionary statements (CLP) | : P280 - Wear protective gloves, protective clothing, eye protection.<br>P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.<br>P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.<br>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.<br>P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. |       |       |

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name  | Product identifier   | %    | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                   |
|---|--|------|---|
| m-fenyleenbis(methylamine)                                | (CAS-No.) 1477-55-0<br>(EC-No.) 216-032-5<br>(REACH-no) 01-2119480150-50 | < 75 | Skin Corr. 1A, H314<br>Skin Sens. 1, H317<br>Aquatic Chronic 3, H412                              |
| 4-tert-butylphenol<br>substance listed as REACH Candidate | (CAS-No.) 98-54-4<br>(EC-No.) 202-679-0<br>(EC Index-No.) 604-090-00-8   | < 75 | Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Repr. 2, H361f<br>Aquatic Chronic 1, H410              |
| 2,2,4-trimethylhexaan-1,6-diamine                         | (CAS-No.) 25513-64-8   | < 10 | Acute Tox. 4 (Oral), H302<br>Skin Corr. 1A, H314<br>Skin Sens. 1, H317<br>Aquatic Chronic 3, H412 |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures general            | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).  |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. Immediately call a POISON CENTER/doctor.  |
| First-aid measures after skin contact | : Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor. Wash with plenty of water/.... If skin irritation or rash occurs: Immediately call a POISON CENTER/doctor. Get medical advice/attention. Specific treatment (see if possible show this sheet, if not available show packaging or label on this label). Wash contaminated clothing before reuse. |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.  |

# Betochem 3200 B-comp

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell. Immediately call a POISON CENTER/doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.  
Symptoms/effects after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. May cause an allergic skin reaction. May cause respiratory irritation.  
Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.  
Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Use only outdoors or in a well-ventilated area. Avoid breathing vapours, gas, fume, mist, spray. Do not breathe vapours, gas, mist, fume, spray. Avoid contact during pregnancy/while nursing.

# Betochem 3200 B-comp

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.  
Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Sources of ignition. Keep container tightly closed.  
Incompatible products : Strong bases. Strong acids.  
Incompatible materials : Sources of ignition. Direct sunlight.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves.

#### Eye protection:

Chemical goggles or face shield

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Colour : light yellow.  
Odour : Ammonia solution.  
Odour threshold : No data available  
pH : No data available  
Relative evaporation rate (butylacetate=1) : No data available  
Melting point : No data available  
Freezing point : No data available  
Boiling point : > 200 °C  
Flash point : > 100 °C  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available

# Betochem 3200 B-comp

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|   |                                 |
|---|---------------------------------|
| Flammability (solid, gas)                       | : Non flammable.                |
| Vapour pressure                                 | : 10 mm Hg @21 °C               |
| Relative vapour density at 20°C                 | : No data available             |
| Relative density                                | : 1.06                          |
| Density   | : 1.06 g/cm <sup>3</sup> @21 °C |
| Solubility                                      | : No data available             |
| Partition coefficient n-octanol/water (Log Pow) | : No data available             |
| Viscosity, kinematic                            | : 424.528 mm <sup>2</sup> /s    |
| Viscosity, dynamic                              | : 450 mPa·s @25 °C              |
| Explosive properties                            | : No data available             |
| Oxidising properties                            | : No data available             |
| Explosive limits                                | : No data available             |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Corrosive vapours.

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                             |                         |
|-----------------------------|-------------------------|
| Acute toxicity (oral)       | : Harmful if swallowed. |
| Acute toxicity (dermal)     | : Not classified        |
| Acute toxicity (inhalation) | : Harmful if inhaled.   |

| Betochem 3200 B-comp |               |
|----------------------|---------------|
| LD50 oral rat        | > 930 mg/kg   |
| LD50 dermal rabbit   | > 2000 mg/kg  |
| ATE CLP (dust,mist)  | 1.429 mg/l/4h |

|                                   |  |
|-----------------------------------|--|
| Skin corrosion/irritation         | : Causes severe skin burns.  |
| Serious eye damage/irritation     | : Assumed to cause serious eye damage                              |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction.                             |
| Germ cell mutagenicity            | : Not classified   |
| Additional information            | : Based on available data, the classification criteria are not met |
| Carcinogenicity                   | : Not classified   |
| Additional information            | : Based on available data, the classification criteria are not met |

# Betochem 3200 B-comp

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                        |  |
|------------------------|--|
| Reproductive toxicity  | : Not classified   |
| Additional information | : Based on available data, the classification criteria are not met |
| STOT-single exposure   | : May cause respiratory irritation.                                |
| STOT-repeated exposure | : Not classified   |
| Additional information | : Based on available data, the classification criteria are not met |
| Aspiration hazard      | : Not classified   |
| Additional information | : Based on available data, the classification criteria are not met |

### Betochem 3200 B-comp

|                      |                            |
|----------------------|----------------------------|
| Viscosity, kinematic | 424.528 mm <sup>2</sup> /s |
|----------------------|----------------------------|

|   |   |
|---|---|
| Potential adverse human health effects and symptoms | : Harmful if swallowed. Harmful if inhaled. |
|---|---|

## SECTION 12: Ecological information

### 12.1. Toxicity

|   |  |
|---|--|
| Ecology - water   | : Toxic to aquatic life with long lasting effects. |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified                                   |
| Hazardous to the aquatic environment, long-term (chronic) | : Toxic to aquatic life with long lasting effects. |

### Betochem 3200 B-comp

|                                |                   |
|--------------------------------|-------------------|
| EC50 other aquatic organisms 1 | 12 mg/l 72h algae |
|--------------------------------|-------------------|

### 12.2. Persistence and degradability

### Betochem 3200 B-comp

|                               |   |
|-------------------------------|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |
|-------------------------------|---|

### 12.3. Bioaccumulative potential

### Betochem 3200 B-comp

|                           |                  |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |
|---------------------------|------------------|

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### Component

|                              |   |
|------------------------------|---|
| 4-tert-butylphenol (98-54-4) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII<br>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
|------------------------------|---|

### 12.6. Other adverse effects

|                        |                                     |
|------------------------|-------------------------------------|
| Additional information | : Avoid release to the environment. |
|------------------------|-------------------------------------|

# Betochem 3200 B-comp

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

- Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

- UN-No. (ADR) : UN 2735
- UN-No. (IMDG) : UN 2735
- UN-No. (IATA) : UN 2735
- UN-No. (ADN) : UN 2735
- UN-No. (RID) : UN 2735


#### 14.2. UN proper shipping name

- Proper Shipping Name (ADR) : POLYAMINES, LIQUID, CORROSIVE, N.O.S.
- Proper Shipping Name (IMDG) : POLYAMINES, LIQUID, CORROSIVE, N.O.S.
- Proper Shipping Name (IATA) : Polyamines, liquid, corrosive, n.o.s.
- Proper Shipping Name (ADN) : POLYAMINES, LIQUID, CORROSIVE, N.O.S.
- Proper Shipping Name (RID) : POLYAMINES, LIQUID, CORROSIVE, N.O.S.
- Transport document description (ADR) : UN 2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS ; 4-tert-butylphenol(98-54-4) CONTAINS ; m-fenyleenbis(methylamine)(1477-55-0)), 8, II, (E), ENVIRONMENTALLY HAZARDOUS
- Transport document description (IMDG) : UN 2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS ; 4-tert-butylphenol(98-54-4) CONTAINS ; m-fenyleenbis(methylamine)(1477-55-0)), 8, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
- Transport document description (IATA) : UN 2735 Polyamines, liquid, corrosive, n.o.s. (CONTAINS ; 4-tert-butylphenol(98-54-4) CONTAINS ; m-fenyleenbis(methylamine)(1477-55-0)), 8, II, ENVIRONMENTALLY HAZARDOUS
- Transport document description (ADN) : UN 2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS ; 4-tert-butylphenol(98-54-4) CONTAINS ; m-fenyleenbis(methylamine)(1477-55-0)), 8, II, ENVIRONMENTALLY HAZARDOUS
- Transport document description (RID) : UN 2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS ; 4-tert-butylphenol(98-54-4) CONTAINS ; m-fenyleenbis(methylamine)(1477-55-0)), 8, II, ENVIRONMENTALLY HAZARDOUS

#### 14.3. Transport hazard class(es)

##### ADR

- Transport hazard class(es) (ADR) : 8
- Danger labels (ADR) : 8




##### IMDG

- Transport hazard class(es) (IMDG) : 8
- Danger labels (IMDG) : 8

# Betochem 3200 B-comp

## Safety Data Sheet


according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



### IATA

Transport hazard class(es) (IATA) : 8


Danger labels (IATA) : 8



### ADN

Transport hazard class(es) (ADN) : 8


Danger labels (ADN) : 8



### RID

Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8



## 14.4. Packing group

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

## 14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

## 14.6. Special precautions for user

### Overland transport

Classification code (ADR) : C7

Special provisions (ADR) : 274

Limited quantities (ADR) : 1I

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02

Mixed packing provisions (ADR) : MP15

Portable tank and bulk container instructions (ADR) : T11

Portable tank and bulk container special provisions (ADR) : TP1, TP27

Tank code (ADR) : L4BN

Vehicle for tank carriage : AT

Transport category (ADR) : 2

Hazard identification number (Kemler No.) : 80



# Betochem 3200 B-comp

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Orange plates : 

Tunnel restriction code (ADR) : E  
EAC code : 2X

### Transport by sea

Special provisions (IMDG) : 274  
Limited quantities (IMDG) : 1 L  
Excepted quantities (IMDG) : E2  
Packing instructions (IMDG) : P001  
IBC packing instructions (IMDG) : IBC02  
Tank instructions (IMDG) : T11  
Tank special provisions (IMDG) : TP1, TP27  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-B  
Stowage category (IMDG) : A  
Segregation (IMDG) : SGG18, SG35  
Properties and observations (IMDG) : Colourless to yellowish liquids or solutions with a pungent odour. Miscible with or soluble in water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. Reacts violently with acids. Cause burns to skin, eyes and mucous membranes.

### Air transport

PCA Excepted quantities (IATA) : E2  
PCA Limited quantities (IATA) : Y840  
PCA limited quantity max net quantity (IATA) : 0.5L  
PCA packing instructions (IATA) : 851  
PCA max net quantity (IATA) : 1L  
CAO packing instructions (IATA) : 855  
CAO max net quantity (IATA) : 30L  
Special provisions (IATA) : A3, A803  
ERG code (IATA) : 8L

### Inland waterway transport

Classification code (ADN) : C7  
Special provisions (ADN) : 274  
Limited quantities (ADN) : 1 L  
Excepted quantities (ADN) : E2  
Equipment required (ADN) : PP, EP  
Number of blue cones/lights (ADN) : 0

### Rail transport

Classification code (RID) : C7  
Special provisions (RID) : 274  
Limited quantities (RID) : 1L  
Excepted quantities (RID) : E2  
Packing instructions (RID) : P001, IBC02  
Mixed packing provisions (RID) : MP15  
Portable tank and bulk container instructions (RID) : T11  
Portable tank and bulk container special provisions (RID) : TP1, TP27  
Tank codes for RID tanks (RID) : L4BN  
Transport category (RID) : 2  
Colis express (express parcels) (RID) : CE6  
Hazard identification number (RID) : 80

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# Betochem 3200 B-comp

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains substance(s) listed on the REACH Candidate List in concentrations  $\geq 0.1\%$  or SCL: 4-tert-butylphenol (EC 202-679-0, CAS 98-54-4)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

#### Full text of H- and EUH-statements:

|                     |   |
|---------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4                                 |
| Aquatic Chronic 1   | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 3   | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |
| Eye Dam. 1          | Serious eye damage/eye irritation, Category 1                     |
| Repr. 2             | Reproductive toxicity, Category 2                                 |
| Skin Corr. 1A       | Skin corrosion/irritation, Category 1, Sub-Category 1A            |
| Skin Irrit. 2       | Skin corrosion/irritation, Category 2                             |
| Skin Sens. 1        | Skin sensitisation, Category 1                                    |
| H302                | Harmful if swallowed.   |
| H314                | Causes severe skin burns and eye damage.                          |
| H315                | Causes skin irritation.   |
| H317                | May cause an allergic skin reaction.                              |
| H318                | Causes serious eye damage.  |
| H332                | Harmful if inhaled.   |
| H335                | May cause respiratory irritation.                                 |
| H361f               | Suspected of damaging fertility.                                  |
| H410                | Very toxic to aquatic life with long lasting effects.             |
| H411                | Toxic to aquatic life with long lasting effects.                  |
| H412                | Harmful to aquatic life with long lasting effects.                |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.